4th Slide Set Cloud Computing

Prof. Dr. Christian Baun

Frankfurt University of Applied Sciences (1971–2014: Fachhochschule Frankfurt am Main) Faculty of Computer Science and Engineering christianbaun@fb2.fra=uas.de

Agenda for Today

- Amazon Web Services (AWS)
 - Reasons for using the AWS

EC2 (+ EBS and ELB)

- Examples of applications that use the AWS
- Elastic Compute Cloud (EC2)
- Elastic Block Store (EBS)
- Elastic Load Balancing (ELB)
- Simple Storage Service (S3)
- Google Cloud Storage and further alternative service offerings
- Solutions for running private cloud infrastructure services
 - Eucalyptus
 - OpenStack

Amazon Web Services (AWS)


- The AWS is a collection of different public cloud services
 - Launched in 2002
 - Billed according to consumption
 - Services of the AWS are among others...

```
Elastic Compute Cloud (EC2)
                                                      Infrastructure service for virtual servers
Simple Storage Service (S3)
                                                      Storage service for web objects
                                              \Longrightarrow
Elastic Block Store (EBS)
                                                      Storage service for virtual storage volumes
                                              \Longrightarrow
Elastic Load Balancing (ELB)
                                              \Longrightarrow
                                                      Service for virtual load balancers
CloudWatch
                                                      Service for monitoring AWS resources
                                              \Longrightarrow
Auto Scaling
                                                      Service for scaling EC2 capacities
                                              \Longrightarrow
                                                      Service for distributed database
SimpleDB
                                              \Longrightarrow
Amazon Simple Queue Service (SQS)
                                              \Longrightarrow
                                                      Service for message queues
Amazon Mechanical Turk
                                                      HuaaS/Crowdsourcing marketplace
                                              \Longrightarrow
```

Attention!

- Many screenshots in this slide set are from the years 2012/2013/2014
- The web interfaces of cloud service providers often change
- Many screenshots are outdated! Sorry for that!
- The functionality and technical terms are seldom modified

AWS Overview - http://aws.amazon.com



Why AWS?

- Why should a company use the AWS, instead of buying own resources?
- How many resources does the company need in the future?
- Scenario: A web offering of a startup company
 - How many resources will be consumed?
 - What costs will arise?

EC2 (+ EBS and ELB)


 How much time is required to acquire additional resources and include them into the infrastructure?

Without a credit card, the AWS cannot be used

Own physical Infrastructure compared with the Cloud

Take the Risk Factor out of Capacity Planning

EC2 (+ EBS and ELB)



AWS Customer Success Story: Animoto (1/2)

- Users can create videos from their own pictures and music
 - http://animoto.com

EC2 (+ EBS and ELB)

- The software analyzes the pictures and the music and generates videos in the style of a trailer or a MTV music video
- Videos can be uploaded to YouTube and exported to various formats






Image source: Google image search

AWS 0000000000

AWS Customer Success Story: Animoto (2/2)

- 2006-2008: Only few users used the service
- April 2008: Facebook application launched
 - 750,000 new users in 3 days
 - At the peak, up to 25,000 people tried to render a video in a single hour
 - Slashdot effect!
 - Automatic adjustment of the instances to render the videos from 2 up to 450

http://www.youtube.com/watch?v=VwDS6MexKEo








Slashdot Effect

EC2 (+ EBS and ELB)



- Linear increase of traffic is unrealistic
- Huge problem for startup companies with own resources

AWS Customer Success Story: New York Times

- 2007: The New York Times wants to create PDF versions from the articles from the years 1851-1980
 - The newspaper planned to make the articles from the years 1851-1922 available online for free
- The raw version of the articles were 11 million scanned images
 - Each article had to be composed of several TIFF files and had to be scaled
- First, 4 TB TIFF files had to be uploaded to S3
- 100 EC2 instances required approximately 24 hours for the calculation
- Result: 1.5 TB of PDF files inside S3

EC2 (+ EBS and ELB)

• https://timesmachine.nytimes.com



AWS Customer Success Story: reddit

EC2 (+ EBS and ELB)




- 2012: reddit has 4 billion page views per month
 - Scalable infrastructure based of AWS
- Server capacity was doubled in minutes for President Obama's live Q&A session in 2012

http://www.youtube.com/watch?v=BPMNB29zDvk Update (May 2018): The video is not online any more. . . **AWS** 000000000

AWS - Check your Account Activity !!!

State: October 2016

- Please regularly check their user account!
 - Login at the AWS page and check the Billing & Cost Management page
- Running lots of instances all the time quickly melts together your credit
 - If the credit is spend and resources are still consumed, the credit card will be charged
 - The account holder is responsible for resulting costs
 - You can specify limits and alerts ⇒ do it!



Amazon Elastic Compute Cloud (EC2)

- Users can create, use and control virtual server instances in Amazons data centers
 - Supported operating systems:
 - Linux: Amazon Linux, Debian, Ubuntu, SuSE, OpenSuSE, Kali, RedHat Enterprise, CentOS, Mint, Gentoo, Fedora, RancherOS, Alpine,...
 - Windows Server: 2003/2008/2012/2016/2019
 - BSD: FreeBSD, NetBSD (†), MidnightBSD
 - Solaris: OpenSolaris (†)
 - MacOS X https://aws.amazon.com/de/about-aws/whats-new/2020/ 11/announcing-amazon-ec2-mac-instances-for-macos/
- Virtual servers are created from Amazon Machine Images (AMI)
 - These are like a blueprint to be used when creating new virtual servers
 - Amazon provides prebuilt images
 - Besides Amazon, many third-party vendors, such as IBM, Oracle and SAP, provide AMIs including proprietary software packages
 - End users as well can create their own images for later reuse
 - End users can publish their AMIs and put them on the market using a product ID (paid instances)

EC2 Terminology

State: October 2016

- EC2 provides 11 sites (**regions**) with resources:
 - Virginia, California, Oregon, Ireland, Frankfurt, Singapore, Sydney, Tokyo, Seoul, Mumbai, Sao Paulo
- Each region contains availability zones
 - Each availability zone is a cluster


Region	Availability Zones
Virgina	us-east-1a, us-east-1b, us-east-1c, us-east-1d, us-east-1e
California	us-west-1a, us-west-1b, us-west-1c
Oregon	us-west-2a, us-west-2b, us-west-2c
Ireland	eu-west-1a, eu-west-1b, eu-west-1c
Frankfurt	eu-central-1a, eu-central-1b
Singapore	ap-southeast-1a, ap-southeast-1b
Sydney	ap-southeast-2a, ap-southeast-2b, ap-southeast-2c
Tokyo	ap-northeast-1a, ap-northeast-1b, ap-northeast-1c
Seoul	ap-northeast-2a, ap-northeast-2c
Mumbai	ap-south-1a, ap-south-1b
Sao Paulo	sa-east-1a, sa-east-1b, sa-east-1c

Update June 2019: The list of availability zones did grow: Missing in this slide are Oregon, Canada, Paris, Osaka, Stockholm and Hong Kong

WS EC2 (+ EBS and ELB)

EC2 Instance Types

State: May 2018



EC2 - Required Steps to work with the Service (1/2)

- The user needs a **key pair** to authenticate at its instances
 - Login without password (public key method)
 - Public keys are stored inside the instances
 - Private keys are stored on the users client
 - A new key pair can be created or an existing key pair can be used
- User decides, which ports must be open
 - The fewer ports are opened, the better is the security
 - The user creates for the instance a **security group**, in which the required ports are opened
 - The user can also use an existing security group
- User decides which operating system (AMI) and which instance type meets his requirements best
- User decides which **region** and **availability zone** he prefers
- The instance is created according to the decisions made before

EC2 - Required Steps to work with the Service (2/2)

- After the virtual server has been created, a public and a private IP address is dynamically assigned to the instance
 - With the public address the instance can be accessed from the Internet
 - With the private address it can be accessed by other instances inside the Amazon cloud
- Private and public addresses are assigned dynamically each time a new instance is created
 - Dynamically assigned addresses are not suited for the long-term operation of a server
 - Servers need to be restarted from time to time
 - Solution: elastic IP addresses
- Users can assign Elastic IPs once reserved their own server instances again and again

Persistence of Data in EC2

- At the termination of an instance all changes are lost
- Valuable data must be stored outside the instance
 - Large amounts of structured data can be stored in S3
 - EBS provides block-based storage

EC2 Pricing


⇒ https://aws.amazon.com/ec2/pricing/

- On-Demand instances
- Spot instances
 - Instances have flexible start and end times
- Reserved instances
 - Customers can rent EC2 instances over a 1 or 3 year term to reduce their total costs
- Dedicated Hosts

EC2 Pricing: Internet Data Transfer

State: November 2017

- The import of data to AWS resources is for free
- If data is copied between AWS resources it is for free if these resources are inside the same availability zone



Elastic IP adresses.



- \$0.00 for one Elastic IP address associated with a running instance
- \$0.005 per additional Elastic IP address associated with a running instance per hour on a pro rata basis
- \$0.005 per Elastic IP address not associated with a running instance per hour on a pro rata basis
- \$0.00 per Elastic IP address remap for the first 100 remaps per month
- \$0.10 per Elastic IP address remap for additional remaps over 100 per month

Elastic Load Balancers

EU (Frankfurt)

\$0.0270 per Application Load Balancer-hour (or partial hour)

\$0.008 per LCU-hour (or partial hour)

EC2 Pricing: CloudWatch

State: November 2017



Amazon CloudWatch Dashboards

· \$3.00 per dashboard per month

Detailed Monitoring for Amazon EC2 Instances

\$2.10 down to \$0.14 per instance per month at 1-minute frequency******

Amazon CloudWatch Custom Metrics

- \$0.30 per metric per month for the first 10,000 metrics
- \$0.10 per metric per month for the next 240,000 metrics
- \$0.05 per metric per month for the next 750.000 metrics
- \$0.02 per metric per month for metrics over 1,000,000

Amazon CloudWatch Alarms

- \$0.10 per alarm per month
- · \$0.30 per high-resolution alarm per month

Amazon CloudWatch API Requests

\$0.01 per 1,000 GetMetricStatistics, ListMetrics, PutMetricData, GetDashboard, ListDashboards,

PutDashboard and DeleteDashboards requests

Amazon CloudWatch Logs*


- \$0.63 per GB ingested**
- \$0.0324 per GB archived per month***
- · Data Transfer OUT from CloudWatch Logs is priced equivalent to the "Data Transfer OUT from Amazon

EC2 To" and "Data Transfer OUT from Amazon EC2 to Internet" tables on the EC2 Pricing Page.

Amazon CloudWatch Events - Custom Events****

\$1.00 per million custom events generated*****

AWS Simple Monthly Calculator



Amazon Elastic Block Store (EBS)

- EBS is a part of EC2
- Inside each availability zone, the users can create EBS volumes
 - Size: Up to 16 TB
- An EBS volume implements persistent storage
- A new EBS volume behaves just like an unformatted block device
- an EBS volume can only be mounted to one single instance
 - Volume and instance must be located in the same availability zone
- A volume can contain any filesystem
- The way of using a volume is equal to using an USB flash drive
- Note: EBS is storage for people and S3 is storage for applications
- Volume snapshots can be created (and stored in S3) any time

Pricing of EBS

State: December 2020




Amazon EBS Volumes

With Amazon EBS, you pay only for what you use. The pricing for Amazon EBS volumes is listed below

Volume Type	Price
General Purpose SSD (gp3) - Storage	\$0.0952/GB-month
General Purpose SSD (gp3) - IOPS	3,000 IOPS free and \$0.006/provisioned IOPS-month over 3,000
General Purpose SSD (gp3) - Throughput	125 MB/s free and \$0.0476/provisioned MB/s-month over 125
General Purpose SSD (gp2) Volumes	\$0.119 per GB-month of provisioned storage
Provisioned IOPS SSD (io2) - Storage	\$0.149/GB-month
Provisioned IOPS SSD (io2) - IOPS	\$0.078/provisioned IOPS-month up to 32,000 IOPS
	\$0.055/provisioned IOPS-month from 32,001 to 64,000 IOPS
	\$0.038/provisioned IOPS-month for greater than 64,000 IOPS†
Provisioned IOPS SSD (io1) Volumes	\$0.149 per GB-month of provisioned storage AND \$0.078 per provisioned IOPS-month
Throughput Optimized HDD (st1) Volumes	\$0.054 per GB-month of provisioned storage
Cold HDD (sc1) Volumes	\$0.018 per GB-month of provisioned storage

AWS Management Console (EBS Volumes)



EC2 (+ EBS and ELB)

000000000000000

State: November 2017

- ELB is a part of EC2
- Users can create elastic load balancers inside each availability zone
- The user assigns each of its load balancers a pool of instances
- An elastic load balancer automatically distributes incoming requests to the EC2 instances of its pool
- A ELB identified failed instances inside its pool and distributes the requests automatically to the working instances of the pool

EU (Frankfurt)

\$0.0270 per Application Load Balancer-hour (or partial hour)

\$0.008 per LCU-hour (or partial hour)

Amazon Simple Storage Service – S3 (1/2)

- Data is stored as (web-)objects
- No files or folders exist, but only objects
 - The size of each object can be 1 Byte to 5 TB
 - For each object, 2 KB metadata is stored
 - Each user can store an unlimited number of objects
- Each object is assigned to a bucket
 - Buckets have unique names and contain no other buckets ⇒ Directories are impossible
 - The name of an object is also called key


Amazon Simple Storage Service – S3 (2/2)

- Objects are accessible online
 - http://s3.amazonaws.com/bucket/object
 - http://bucket.s3.amazonaws.com/object
- Access to buckets and objects is done via REST or SOAP (deprecated)
 - Objects can also be downloaded via BitTorrent



- Users can specify for all their objects and buckets the access privileges
 - Access Control List (ACL)

Flat Name Space of S3




S3

- S3 does not support folders
 - Only buckets and objects can be created
 - But folders can be simulated
 - S3Fox, Google and KOALA simulate folder by attaching _\$folder\$ at the end of an objects key
 - Objects, which are assigned to such a folder, have a key with the naming scheme folder/subfolder/object

S3 Pricing (Storage)

November 2017




S3

- Standard Storage is designed for 99.99999999% durability and 99.99% availability of objects over a given year
- Reduced Redundancy Storage (RRS) is designed to provide 99.99% durability and 99.99% availability of objects over a given year
 - This durability level corresponds to an average annual expected loss of 0.01% of the objects

S3 Pricing (Storage)

November 2017



• **Glacier** is designed for 99.99999999% durability and 99.99% availability of objects over a given year

S3


- Extremely low-cost storage service option for data archival
- Stores data for as little as \$0,0045 (in EU-Frankfurt) per GB per month
- Optimized for data that is infrequently accessed and for which retrieval times of several hours are suitable

S3 Pricing (Requests)

November 2017

Request Pricing

Amazon S3 request costs are based on the request type, and are charged on the quantity of requests or the volume of data retrieved as listed in the table below.



S3

Data Transfer Pricing

The pricing below is based on data transferred "in" to and "out" of Amazon S3 (over the public Internet). AWS Direct Connect pricing can be found here. Transfers between S3 buckets or from S3 to any service(s) within the same region are free.

Region: EU (Frankfurt) •	
	Pricing
Data Transfer IN To Amazon S3	
All data transfer in	\$0.000 per GB
Data Transfer OUT From Amazon S3 To	
Another AWS Region	\$0.020 per GB
Amazon CloudFront	\$0.000 per GB
Data Transfer OUT From Amazon S3 To Internet	
First 1 GB / month	\$0.000 per GB
Up to 10 TB / month	\$0.090 per GB
Next 40 TB / month	\$0.085 per GB
Next 100 TB / month	\$0.070 per GB
Next 350 TB / month	\$0.050 per GB
Next 524 TB / month	Contact Us
Next 4 PB / month	Contact Us
Greater than 5 PB / month	Contact Us

AWS Import/Export Disk

Helps to transfer large amounts of data into or out from the cloud

Available Internet Connection	Theoretical Min. Number of Days to Transfer 1TB at 80% Network Utilization	When to Consider AWS Import/Export Disk?
T1 (1.544Mbps)	82 days	100GB or more
10Mbps	13 days	600GB or more
T3 (44.736Mbps)	3 days	2TB or more
100Mbps	1 to 2 days	5TB or more
1000Mbps	Less than 1 day	60TB or more

- The customers sends a storage device (HDD) to Amazon
- The device concent is copied by Amazon employees into a S3 bucket
 - File systems: NTFS, ext2, ext3 and FAT32 with a mximum size of 16 TB
- Pricing per storage device: \$80
- Pricing for the transfer at Amazon site per hour: \$2.49
- https://aws.amazon.com/snowball/disk/

AWS Import/Export Snowball

Image Source: Amazon

- Amazon offers the Snowball Appliances for importing data into S3
- https://aws.amazon.com/snowball/



- Capacity: 50 TB or 80 TB
- 10 Gbit Ethernet interface
- AES 256-bit encryption
- Price: \$200 or \$250 per device for 10 days
- Each additional day costs \$15



Similar offering – Cloud Mass Data Migration

Image Source: IBM



- IBM offers a similar import service for its own laaS offerings
- Cloud Mass Data Migration
- Capacity: 120 TB
- AES 256-bit encryption
- RAID-6
- 10 Gbit Ethernet interface
- Price: \$395 per device for 10 days
- Each additional day: +\$30
- Customers can migrate 120 TB of data in seven days, with round-trip use of UPS Next Day Air included in the overall service

AWS Snowmobile

Image Source: AWS

- Helps to transfer very large amounts of data into the cloud
 - Customers can transfer up to 100 PB per Snowmobile
 - Data is copied by Amazon employees into a S3 bucket or into Glacier
- Snowmobile is a 45-foot long shipping container, pulled by a truck
 - Includes security personnel, GPS tracking, alarm monitoring, 24/7 video surveillance, and an optional escort security vehicle while in transit
 - All data is encrypted with 256-bit encryption keys
- https://aws.amazon.com/snowmobile/



Using S3 with s3cmd

- s3cmd is a simple to use command line tool for uploading, retrieving and managing data in Amazon S3
 - http://s3tools.org/s3cmd

Configure login information s3cmd -configure List own buckets s3cmd ls

Create bucket

s3cmd mb s3://Bucket

Upload object s3cmd put LocalFile s3://Bucket/DistantObjekt

List content of a bucket s3cmd 1s s3://Bucket

Download object s3cmd get s3://Bucket/DistantObjekt LocalFile

Erase objekt s3cmd del s3://Bucket/DistantObjekt

Erase (empty) bucket s3cmd rb s3://Bucket

https://cloud.google.com/storage/

Storage service for web objects

EC2 (+ EBS and ELB)

- Interface is compatible with S3
- Functionality is (almost) identical to S3
- Objects are accessible online
 - https://storage.googleapis.com/bucket/object
 - https://bucket.storage.googleapis.com/object
- Access to buckets and objects is done via REST or SOAP
- Users can specify for all their objects and buckets the access privileges
 - Access Control List (ACL)
- Provides the command line tool GSutil and the software service (SaaS) Google Storage Manager
 - GSutil can interact with Google Cloud Storage and S3
 - GSutil is based on the Python library boto

Some further S3-compatible Service Offerings

This list from November 2017 is not complete! Many more S3-compatible service offerings exist

Service Offering	URL/Status		
Aruba Object Storage service	https://www.arubacloud.com		
BetterServers Object Storage	https://www.betterservers.com		
e24cloud	https://www.e24cloud.com/en/cloud-features/		
Rackspace Cloud Files	https://www.rackspace.com/de/cloud/files		
Caringo Cloud Storage	https://www.caringo.com		
Cloudian	http://www.cloudian.com		
DreamHost DreamObjects	https://www.dreamhost.com/cloud/storage/		
Dunkel S3	https://www.dunkel.de/s3		
S3FOR.ME	http://www.s3for.me		
Connectria Cloud Storage	It is unclear if this service is still available		
HP Helion Public cloud	Defunct since January 2016		
Host Europe Cloud Storage	Defunct since end 2014		
Nirvanix	Defunct since September 2013		

Never forget...

a Cloud Service Providers may modify of service offering (functionality) or even go out of business at any time

Solutions for running Private Cloud Infrastructure Services

Several free solutions exist run infrastructure services.

CloudStack http://cloudstack.apache.org
Eucalyptus https://www.eucalyptus.cloud
Nimbus http://www.nimbusproject.org(†)
OpenNebula http://www.opennebula.org
OpenStack http://www.openstack.org

This is not a complete list!

- These solutions are used mainly for the construction of private clouds
- Some solutions can also be used for the construction of public cloud services

Eucalyptus

- EUCALYPTUS Elastic Utility Computing Architecture for Linking Your Programs To Useful Systems
- Allows execution and control of virtual instances (Xen or KVM) on different physical resources
- Developed at UC Santa Barbara
 - Further development by Eucalyptus Systems, Inc.
- Interface compatible to AWS
 - EC2 + EBS + ELB + AutoScaling and S3
- Use of poplar AWS-compatible tools is possible:
 - e.g.: S3 Curl, Elasticfox, s3cmd,...
- Free software: GPLv3 (until 11/2017). Now BSD


In 2008+2009, Eucalytus was a major step forward in establishing an API standard for cloud infrastructure services

Eucalyptus Services


- Eucalyptus consists of several UNIX services
 - Cloud Controller (CLC)
 - Cluster Controller (CC)
 - Node Controller (NC)
 - Walrus
 - Storage Controller (SC)
- The services communicate via web services (SOAP+REST)
- Eucalyptus infrastructures consist of one or more sites

Redundant operation of the services CLC, CC, Storage Controller and Walrus became a feature with Eucalyptus v3.0 in 2011

This feature was removed with v4.2 in 2015




Node Controller (NC)




- Runs on every physical node, where instances are planned to run
- Controls the KVM hypervisor
- Xen is not supported any longer since v4.0
- VMware ESX(i) is not supported any longer since v4 1
- Each NC transmits information. about the utilization of their own resources to the CC of the site
 - Number of virtual processors
 - Free memory
 - Free storage

Cluster Controller (CC)




- Exactly a single CC per site is required
- Controls the distribution of the virtual machines to the NCs
- Collects free resource information from the NCs
- In small infrastructures CLC and CC usually run on the same physical server
- In each site, the NCs communicate with the CC via a virtual network (VLAN)
 - The VLAN ensures that all instances within a site share the same subnet

Cloud Controller (CLC)




- Exactly a single CLC per Eucalyptus infrastructure is required
- Acts as a meta-scheduler in the cloud infrastructure
- Collects resource information from the CCs
- Runs per default on the same physical server as the storage services Walrus and Storage Controller

Walrus




- Storage service, which implements the S3 REST API
- Eucalyptus stores here the images
- Usually runs on the physical server which hosts the CLC/CC
 - Can be outsourced from the CLC since v1.6
- Walrus is not a distributing service
 - Operates only in single-node mode
- In order to improve the read/write performance of the object-based storage, Walrus can be replaced by a Riak Cloud Storage (Cluster)

Storage Controller




- Storage service, which implements the EBS API
- In infrastructures with only a single site, the Storage Controller usually runs on the physical server which hosts the CLC/CC
 - Can be outsourced from the CLC since v1 6
- If the infrastructure contains multiple sites, each site has its own storage controller

Launch of an Instance in Eucalyptus (1/2)



- A user or applications, which tries to start instances, provides the CLC these parameters:
 - Image
 - Instance type
 - Number of instances
- CLC selects a CC with enough free resources in its cluster
- CC selects in the local cluster one (or more) NC(s), with enough free resources and commands the start of the instance(s)

Launch of an Instance in Eucalyptus (2/2)



- If the required image is not available on the NC, the NC requests the image from the CLC
- OCLC transmits the image from Walrus via an encrypted transmission via Secure Copy (SCP) to the NC
- The transmission duration for images from Walrus to the NCs depends of:
 - Network technology used
 - Number of required transmissions
 - Size of the images

Some Facts about Eucalyptus

- The Installation of Eucalyptus is simple when CentOS is used
 - and it is horror when other Linux distributions are used
- Stable operation of an Eucalyptus infrastructure is possible
 - If administrators are willing to invest some time. . .
 - Single services need to reboot from time to time
 - Commercial support is available
- Extensions and modifications in the source code are difficult
 - Source code of services appears obscure
- Some history...
 - HP acquired Eucalyptus systems in 9/2014
 - 2015: Eucalpytus became a part of HPE, which separated from HP
 - 2017: Eucalpytus became a part of DXC Technology \implies † (?!)

A new Hope for Eucalpytus?



- DXC stopped developing the product in late 2017
- AppScale Systems forked the code in 2018 and started supporting the product and continued the development
 - \Longrightarrow AppScale ATS
- https://www.eucalyptus.cloud
- Latest versions:
 - 5.0 from December 2020.
 - 4.4.6 from November 2020
 - 4.4.5 from December 2018
- https://github.com/corymbia/ eucalyptus/

Eucalyptus Installation (the simple way on a single node)

- Check the installation tutorial https://docs.eucalyptus.cloud/eucalyptus/4.4.6/index. html#shared/install section.html
- Create a virtual machine with CentOS 7.3 minimal
- Execute:

```
bash <(curl -Ls https://eucalyptus.cloud/install)
```

- The script will ask a few questions (e.g. about spare IP addresses)
- Hope the best

Eucalyptus 5

https://docs.eucalyptus.cloud/eucalyptus/5/install guide/automated install/

- A faststart iso image "Cloud in a Box" existed until 2015/2016
- The last revision came with Eucalyptus 3.4.2 and CentOS 6
- It was the most simple way to install an Eucalyptus IaaS on a single node or a cluster mode
- It is not available any more

Review of NASA regarding Eucalyptus

NASA drops Ubuntu's Koala food for (real) open source

Open core is not open source: a cautionary tale

By Cade Metz in San Francisco • Get more from this author

Posted in Software, 20th July 2010 05:09 GMT

Free whitepaper - Hosted apps

NASA is dropping Eucalyptus from its Nebula infrastructure cloud not only because its engineers believe the open source platform can't achieve the sort of scale they require, but also because it isn't entirely open source.

NASA chief technology officer Chris Kemp tells *The Reg* that as his engineers attempted to contribute additional Eucalyptus code to improve its ability to scale, they were unable to do so because some of the platform's code is open and some isn't. Their attempted contributions conflicted with code that was only available in a partially closed version of platform maintained by Eucalyptus Systems Inc., the commercial outfit run by the project's founders.

Instead, Kemp's team built their own compute engine and fabric controller from scratch. The new platform — dubbed Nova — has been open sourced under the Apache 2.0 license and is now part of the OpenStack project announced today by Rackspace.

2011: Ubuntu switches from Eucalpytus to OpenStack

Ubuntu Cloud: OpenStack Wins, Eucalyptus Loses

Joe Panettieri | Talkin' Cloud

May 10, 2011

Stated politely, Canonical is transitioning the Ubuntu Cloud to OpenStack -- an open source cloud standard -- as a foundation technology. Stated bluntly, Ubuntu is de-emphasizing Eucalyptus, another open source cloud standard. The obvious question: Is the open source cloud industry's balance of power shifting from Eucalyptus to OpenStack?


According to an official statement from Canonical:

"Today, the Ubuntu project announced that future versions of the Ubuntu Cloud will use OpenStack as a foundation technology. OpenStack, the rapidly growing, open-source, cloud platform effort founded by Rackspace and NASA in 2010, has secured more than 53 commercial companies including Dell, Internap, Intel and Cisco to join the IaaS cloud computing initiative since launching. Ubuntu officially joined the OpenStack initiative in February of this year, but it is not currently providing commercial services for it as part of the releases of its most recent Linux-based operating system, Ubuntu Server and Ubuntu Enterprise Cloud. However, with this announcement, OpenStack will become a core part of future releases. While no longer the foundation technology for the Ubuntu Cloud, Eucalyptus will remain within Ubuntu and will be available for users who prefer this technology."


OpenStack

Image Source: OpenStack

- Initiated by NASA and Rackspace Cloud
 - Supported by AMD, Dell, IBM, Intel, Red Hat, SuSE, Yahoo and more
- Free software (Apache License v2.0)
- Contains several services which communicate via REST



OpenStack – Services (1/3)




Compute (Nova)

- Infrastructure service
- Implements the EC2 API
- Highly scalable (up to tens of thousands of nodes)

- Object Storage (Swift)
 - Redundant, highly scalable (petabyte range), object-based storage service
 - Objects are stored on multiple hardware
 - Automatic replication when nodes fail or are added
 - Implements the S3 API

OpenStack – Services (2/3)




• Image Service (Glance)

- Service for the search, register and request of images
- Supported image formats: Raw, AMI, VHD (Hyper-V), VDI (VirtualBox), qcow2 (Qemu/KVM), VMDK and OVF (VMWare)

- Block Storage (Cinder)
 - Storage service for persistent block-based storage devices
 - Virtual storage devices can be created, erased, attached to and detached from instances
 - Implements the EBS API

OpenStack – Services (3/3)



Identity Service (Keystone)

- Central directory of users for the other OpenStack services
- Provides user authentication
- Can interact (query) existing user directory services (e.g. LDAP)

- Dashboard (Horizon)
 - Provides a graphical web-interface for administrators and users
- Networking (Neutron)
 - Service for managing IP addresses and distributing them to instances
 - Administrators specify, if all instances are connected to the same network, or if they are separated from each other via VLAN

Infrastructure Services and their Compatibility to the AWS

	AWS APIs implemented		
Project/Solution	EC2	S3	EBS (EC2)
CloudStack	partly	_	_
Eucalyptus	partly	partly (Walrus)	partly (SC)
Nimbus	partly	partly (Cumulus)	_
OpenNebula	partly	<u> </u>	partly
OpenStack	partly (Nova)	partly (Swift)	partly (Cinder)

- Many free private cloud solutions exist, which implement an object-based storage service and provide the S3 API
 - MinIO, Ceph-RGW, Fake S3, Riak CS, S3ninja, S3rver, Scality S3 Server....

Freie Objektspeichersoftware mit S3-API, Christian Baun. iX 9/2017, P.76-79 https://www.heise.de/ix/heft/Eimerweise-3807215.html