

Exercise Sheet 1

Exercise 1 (Data Rate and Latency)

The Prussian semaphore system (dt. *Preußischer optischer Telegraf*) was a telegraphic communications system used between Berlin and Koblenz in the Rhine Province and was in operation from 1832 until 1849.


Official and military messages were transmitted using optical signals over a distance of nearly 550 km via 62 telegraph stations.

Each station was equipped with 6 telegraph arms each with 4 positions for encoding.

1. **Data rate:** How many bits can be transmitted per second when a new adjustment of the telegraph arms can be performed every 10 seconds?
2. **Latency:** If each station requires 1 minute for the forwarding, what is the end-to-end delay? To be precise, we're looking for the answer of this question: How long it takes to transmit a message from Berlin to Koblenz?

Hint 1: You don't need a complex formula to calculate this exercise.

Hint 2: The last station does not need to forward the message.



Source: Jörg Roth. *Prüfungstrainer Rechnernetze*. Vieweg (2010) and Wikipedia

Exercise 2 (Transmission Media)

1. What transmission media are used for computer networks?
2. Why is not one transmission medium used for all wired and wireless computer networks?

Exercise 3 (Transfer Time)

An image has a size of 1920x1080 pixels (Full HD) with true color, which means that 3 Bytes per pixel are used for the color information.

1. How long does it take to transmit the uncompressed image via a ...
 - 56 kbps Modem connection?
 - 64 kbps ISDN connection?
 - 1 Mbps DSL connection?
 - 10 Mbps Ethernet connection?
 - 16 Mbps DSL connection?
 - 100 Mbps Ethernet connection?
 - 1 Gbps Ethernet connection?

*Hint: 1 kbps = 1,000 Bits per second
1 Mbps = 1,000,000 Bits per second
1 Gbps = 1,000,000,000 Bits per second*

2. Assume the image is compressed with a compression algorithm that reduces the image size by 85%. How long does it take to transmit the image via a ...
 - 56 kbps Modem connection?
 - 64 kbps ISDN connection?
 - 1 Mbps DSL connection?
 - 10 Mbps Ethernet connection?
 - 16 Mbps DSL connection?
 - 100 Mbps Ethernet connection?
 - 1 Gbps Ethernet connection?

Exercise 4 (Parallel and Serial Data Transmission)

1. Explain the difference between serial data transmission and parallel data transmission.
2. Name an advantage of serial data transmission compared with parallel data transmission.
3. Name an advantage of parallel data transmission compared with serial data transmission.
4. Do computer networks usually implement parallel or serial data transmission?
(*Explain your answer!*)

Exercise 5 (Storing and transmitting Data)

Common assumptions about data are:

- It is easy to store data today.
- It is easy to transport or transmit data today.

In this exercise, we verify the correctness of these statements.

1. A scientific experiment produces 15 PB of data per year, which need to be stored. What is the height of a stack of storage media, if for storing the data. . .
 - CDs (capacity: 600 MB = $600 * 10^6$ Byte, thickness: 1.2 mm) are used?
 - DVDs (capacity: 4.3 GB = $4.3 * 10^9$ Byte, thickness: 1.2 mm) are used?
 - Blu-rays (capacity: 25 GB = $25 * 10^9$ Byte, thickness: 1.2 mm) are used?
 - HDDs (capacity: 2 TB = $2 * 10^{12}$ Byte, thickness: 2.5 cm) are used?

Attention: Calculate the solutions for both options:

- $15 \text{ PB} = 15 * 10^{15} \text{ Byte}$ \Leftarrow this way, the hardware manufacturer calculate
 - $15 \text{ PB} = 15 * 2^{50} \text{ Byte}$ \Leftarrow this way, the operating systems calculate
2. The data of the scientific experiment is transmitted via networks that use fiber-optic cables and provide a bandwidth of 40 Gbit/s.
 - How long does it take to transfer the 15 PB via a 40 Gbit/s network?
 - How long does it take to transfer the 15 PB via a 100 Mbps Ethernet?

Attention: Calculate the solutions for both options:

- $15 \text{ PB} = 15 * 10^{15} \text{ Byte}$
- $15 \text{ PB} = 15 * 2^{50} \text{ Byte}$

Exercise 6 (Physical and Logical Topology)

1. What describes the physical topology of a computer network?
2. What describes the logical topology of a computer network?

Exercise 7 (Network Topologies)

Several network topologies (Bus, Ring, Star, Mesh, Tree and Cellular) exist. Consider the following table and fill in the names of the network topologies for which the sentences are true.

Statement	
Cable failure can separate the network in two functioning parts	
Topology contains a single point of failure (A single point of failure can be a device or a cable)	
Topology used for Thin Ethernet and Thick Ethernet	
Topology contains a performance bottleneck	
Topology used for WLAN, when no Access Point exists	
Topology used for Token Ring (logical)	
Topology used for mobile phones (GSM standard)	
Topology used for Token Ring (physical)	
Cable failure leads to complete network failure	
Topology contains no central component	
Topology used for WLAN, when an Access Point exists	
Topology used with modern Ethernet standards	

Exercise 8 (Network Cables)

On network cables, strings of letters, numbers and special characters are printed. Their content is at first sight difficult to understand.

Example:

E188601 (UL) TYPE CM 75°C LL84201 CSA TYPE CMG FT4 CAT.5E PATCH CABLE
TO TIA/EIA 568A STP 26AWG STRANDED

1. What means **STRANDED**?
2. Do cables exist which are not **STRANDED**?
3. What is the meaning of **PATCH**?
4. Do cables exist which are not **PATCH**?
5. What is the difference between **PATCH** cables and other cables?
6. What is the meaning of the information **24AWG** or **26AWG**?
7. What is the meaning of the information **UL CM FT1/FT4** together with a degree value (e.g. **60°C** or **75°C**)?

The solution of this exercise cannot be found on the slide sets. Please try to find some answers searching in the internet and literature.

Exercise 9 (Directional Dependence – Anisotropy)

1. With handheld transceivers, often called *walkie-talkie*, two or more participants can talk to each other. However, at no time, more than one participant can speak. Please describe the reason for this limitation.
2. According to what directional dependence principle do *walkie-talkies* operate?
 Simplex Full-duplex Half-duplex
3. Name 2 systems, that operate according to the simplex principle.
4. Name an advantage and a drawback of communication systems that operate according to the simplex principle?
5. Name 2 systems, that operate according to the full-duplex principle.
6. Name an advantage and a drawback of communication systems that operate according to the full-duplex principle?



Picture of a handheld transceiver „walkie-talkie“

Image source: Google image search

Exercise 10 (Transfer Time = Latency)

A MP3 file with a size of $30 * 10^6$ bits must be transferred from terminal device A to terminal device B. The signal propagation speed is 200,000 km/s. A and B are directly connected by a link with a length of 5,000 km. The file is transferred as a single message, that has a size of $30 * 10^6$ bits. No network protocol headers or trailers exist.

1. Calculate the transfer time (latency) of the file, when the data rate of the computer network between both terminal devices is...
 - 56 kbps
 - 64 kbps
 - 1 Mbps
 - 16 Mbps
 - 100 Mbps

2. Calculate for each one of the above alternatives what the volume of the network connection is. What is the maximum number of bits that can reside inside the line between the sender and receiver?

Exercise 11 (Bandwidth-Delay Product)

Imagine, NASA sent a spacecraft to planet Mars, which landed there. A 128 kbps (kilobit per second) point-to-point link is set up between planet Earth and the spacecraft.

The distance between Earth and Mars fluctuates between approx. 55,000,000 km and approx. 400,000,000 km. For the further calculations, we use the 55,000,000 km, which is the distance from Earth to Mars, when they are closest together.

The signal propagation speed is 299,792,458 m/s, which is the speed of light.

1. Calculate the Round Trip Time (RTT) for the link.

$$\text{RTT} = (2 * \text{distance}) / \text{signal propagation speed}$$

2. Calculate the bandwidth-delay product for the link to find out what is the maximum number of bits, that can reside inside the line between the sender and receiver?

$$\text{Signal propagation speed} = 299.792.458 \text{ m/s}$$

$$\text{Distance} = 55.000.000.000 \text{ m}$$

$$\text{Transmission delay} = 0 \text{ s}$$

$$\text{Waiting time} = 0 \text{ s}$$

3. A webcam at the surface of planet Mars sends pictures to Earth. Each image has a size of 20 MB (1 MB = 2^{20} Byte). How quickly, after a picture is taken, can it reach Mission Control on Earth?

Source: Larry L. Peterson, Bruce S. Davie. Computernetzwerke. dpunkt (2008)